

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

| CONTROL COMMAND | FUNCTION |
|--------------------|----------------------------|
| COMMAND A | FM/AM SWITCHING PROCESS |
| COMMAND B | |
| • • • | • • • |

FIG. 10 A

FIXED ALLOCATION INFORMATION TABLE

| CONTROL COMMAND | OPERATION FLAG | FUNCTION 1 | | FUNCTION 2 | | FUNCTION 3 | | ... | FUNCTION N | |
|--------------------|-------------------|------------|--------------|------------|--------------|------------|--------------|-----|------------|--------------|
| | | FLAG | SET VALUE | FLAG | SET VALUE | FLAG | SET VALUE | | FLAG | SET VALUE |
| COMMAND C1 | 0 | 0 | 3 | 0 | 4 | 0 | 5 | ... | 1 | 0 |
| COMMAND C2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 | ... | 1 | 0 |
| COMMAND C3 | 2 | 1 | 0 | 1 | 0 | 1 | 0 | ... | 1 | 0 |

CUSTOMIZED ALLOCATION INFORMATION TABLE

FIG. 10 B




FIG. 11




FIG. 12




FIG. 13




FIG. 14



027 7020
KANO, et al.
REMOTE CONTROL METHOD AND
APPARATUS, REMOTE CONTROLLER
Sheet 16 of 27

SELECTOR SELECTION

X

SELECTOR SELECTION

☐ USB

☐ PC-DG

☒ PC-AN

☐ AUX1-DG

☐ AUX1-AN

☐ AUX2

☒ NOT CHANGE

BACK < (B)

FORWARD (N) >

CANCEL

96

FIG. 16




FIG. 17

DSP SETTING

X

DSP MODE SETTING

☒ HALL

☐ JAZZ

☐ CHURCH

☐ GAME

☐ MOVE

☐ LIVE

☐ VDD

☐ THROUGH

☐ NOT CHANGE

BACK < (B)

FORWARD (N) >

CANCEL

97

FIG. 18

PARAMETER SETTING

DSP

PARAMETER SETTING

NO CHANGE

Effect Level

O - 00 O +

Room Size

O - 00 O +

Seat Position

O - 00 O +

BACK FORWARD

< (B) (N) >

CANCEL

98

FIG. 19





FIG. 20

| CONTROL COMMAND | FUNCTION |
|--------------------|--|
| CONTROL COMMAND C1 | MAXIMIZE SIZE OF DETAILED SETTING SCREEN |
| ⋮ | ⋮ |


ALLOCATION INFORMATION TABLE OF PC **FIG. 21**



SETTING INFO.
RECEIVED FROM PC ?

REWRITE CUSTOMIZED
ALLOCATION INFO. TABLE

FIG. 22



PERFORM CONTROL
PROCESS CORRE. TO
RECEIVED CONTROL
COMMAND

FIG. 23

| CONTROL COMMAND | OPERATING TIME/DATE CONDITION | OPERATION FLAG | FUNCTION 1 | | FUNCTION 2 | | ... | FUNCTION N | |
|--------------------|-------------------------------------|-------------------|------------|--------------|------------|--------------|-----|------------|--------------|
| | | | FLAG | SET VALUE | FLAG | SET VALUE | | FLAG | SET VALUE |
| COMMAND C1 | WEEK DAY 9:00~20:00 | | | | | | | | |
| | OTHERS | | | | | | | | |
| COMMAND C2 | WEEK DAY 9:00~20:00 | | | | | | | | |
| | OTHERS | | | | | | | | |
| COMMAND C3 | WEEK DAY 9:00~20:00 | | | | | | | | |
| | OTHERS | | | | | | | | |

CUSTOMIZED ALLOCATION INFORMATION TABLE

FIG. 24




FIG. 25




FIG. 26




FIG. 27

DOWNLOAD OF RECOMMENDED SETTING
INFORMATION HAS BEEN COMPLETED

DO YOU WANT TO PERFORM CUSTOMIZED
FUNCTION SETTING FOR AUDIO APPARATUS
USING DOWNLOADED RECOMMENDED
SETTING INFORMATION

EXECUTE
SETTING

515

FIG. 28